



October 31, 2016

TECHNICAL OPERATIONS COUNCIL MEMORANDUM

TO: National Aerospace Standards Committee (A1, A6)
Civil Aviation Environmental Committee

FROM: Christopher Carnahan, Director, Standardization

SUBJ: NAS/NASM Standards – NAS/NASM Mailing 16-10

Status Legend ** - New Revisions * - Inactive for New Design
 + - New Standard X - Canceled
 R - Reaffirmed RP – Reprint
 RA - Reactivated

NAS No.	Date	Rev	Status	Project	3D	Title
NA0037	October 31, 2016	4	**	P755AIA-1502-48	Y	BOLT, TENSION, CLOSE TOLERANCE, HEXAGON HEAD, TITANIUM ALLOY, 1100 MPa Ft _u , METRIC
NA0059	October 31, 2016	4	**	P755AIA-1502-49	Y	BOLT, TENSION, CLOSE TOLERANCE, SPLINE DRIVE, A286 CRES, 1250 MPa, METRIC
NA0124	October 31, 2016	7	**	P755AIA-16117	Y	SCREW, CLOSE TOLERANCE, 100° REDUCED CROWN HEAD, OFFSET CRUCIFORM RECESS, A286 CRES, 660 MPa SHEAR, METRIC
NAS357	October 31, 2016	6	**	P755AIA-16350	N	TUBE, CONTROL, ALUMINUM ALLOY
NAS359	October 31, 2016	8	**	P755AIA-16351	N	TUBE ASSEMBLY, CONTROL, STEEL, WITH WELDED CLEVIS AND THREADED ROD ENDS
NAS387	October 31, 2016	3	**	P755AIA-1502-25	Y	SCREW, 100° OVAL RECESSED HEAD, MACHINE (COARSE & FINE THREAD)
NAS390	October 31, 2016	7	R	P755AIA-16358	Y	WASHER, FLUSH TYPE, FINISHING
NAS411-1	October 31, 2016	1	**	CAEC001	N	HAZARDOUS MATERIALS TARGET LIST
NAS672	October 31, 2016	9	**	P755AIA-16320	N	PLATING, HIGH STRENGTH STEELS, CADMIUM
NAS721	October 31, 2016	3	R	P755AIA-16103	Y	SCREW, MINIATURE, FILLISTER HEAD



NAS1028	October 31, 2016	6	**	P755AIA-NAS1028	Y	NUT, SELF-LOCKING, PLATE, CORNER, REGULAR HEIGHT, CSK
NAS1053	October 31, 2016	6	**	P755AIA-1503-28	Y	BOLT, EYE, ASSEMBLY, FORGED CARBON STEEL
NAS1070	October 31, 2016	5	**	P755AIA-16326	Y	WASHER, PLAIN, OVERSIZE FOR ALUMINUM TERMINALS
NAS1300	October 31, 2016	3	**	P755AIA-16242	Y	THUMBSCREW
NAS1349	October 31, 2016	4	**	P755AIA-16140	N	CASTER, LIGHT DUTY, RIGID AND SWIVEL
NAS1463	October 31, 2016	4	**	P1835AIA	N	CLIP, SPRING TENSION
NAS1635	October 31, 2016	5	**	P1915AIA	Y	SCREW, MACHINE, PAN HEAD, CRUCIFORM RECESS, FULL THREAD, NON-LOCKING AND SELF-LOCKING
NAS1743	October 31, 2016	6	**	P755AIA-16123	Y	SCREW, SELF-LOCKING, FLAT FILLISTER HEAD, FULL THREAD, PATCH TYPE
NAS3356	October 31, 2016	3	R	P755AIA-16125	N	LUBRICANT COATINGS, SUITABILITY OF SELF-LOCKING NUTS
NAS4450	October 31, 2016	4	**	P755AIA-15012	Y	PIN, CRIMP, PROTRUDING SHEAR HEAD
NAS5321	October 31, 2016	2	**	P755AIA-1503-31	Y	BOLT, SHEAR, 100 DEGREE FLUSH HEAD, CLOSE TOLERANCE, NAS1800 SIX LOBE RECESS, 108 KSI Fsu
NAS3203-3210	October 31, 2016	4	**	P755AIA-1502-23	Y	BOLT, HOOK
NASM302	October 31, 2016	2	**	P755AIA-16249	N	PIN, ESCUTCHEON
NASM20613	October 31, 2016	4	**	P755AIA-16354	Y	RIVET, SOLID, UNIVERSAL HEAD, STEEL, CARBON AND STEEL, CORROSION-RESISTANT
NASM35198	October 31, 2016	2	**	P755AIA-15051	Y	SCEW, MACHINE, FLAT COUNTERSUNK HEAD, 82° CROSS-RECESSED, BRASS, UNC-2A
NASM82496	October 31, 2016	2	**	P755AIA-1502-37	N	SCREWS, MACHINE, SELF-SEALING, INTEGRAL O-RING
NASM90353	October 31, 2016	3	**	P755AIA-16342	Y	FASTENER, BLIND, HIGH STRENGTH, PULL TYPE, POSITIVE MECHANICAL LOCK, 100° FLUSH HEAD, ALLOY STEEL, 112 KSI Fsu
NASM21-37	October 31, 2016	2	**	P755AIA-16246	Y	BOLT, CLEVIS



NAS No.	Date	Rev	Status	Project	3D	Title
NASM24066/2	October 31, 2016	2	**	P755AIA-15018	Y	CLIP, SOLID, SPRING TENSION
NASM43770/11	October 31, 2016	2	**	P755AIA-16250	N	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, LIGHT DUTY
NASM45938/11	October 31, 2016	2	**	P755AIA-16341	Y	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH (FLOATING, 400 °F)
NASM45938/14	October 31, 2016	2	**	P755AIA-16310	Y	NUT, PLAIN, CLINCH AND NUT, SELF-LOCKING, CLINCH, SELF-CLINCHING, KNURLED COLLAR, FLOATING, 450 °F AND 600 °F
NASM122196-122235	October 31, 2016	2	**	P755AIA-16352	Y	INSERT, CRES, HELICAL COIL, COARSE THREAD, 2-1/2 DIA NOMINAL LENGTH

Enclosures

cc: A2, A3 (without enclosures)