



**AIA STANDARDS MEMORANDUM**

June 30, 2023

TO: National Aerospace Standards Committee (A6)  
Engineering Management Committee

FROM: Nathan Phillips, Director, Standards  
SUBJ: NAS/NASM Mailing 23-07

NAS No.	Date	Rev	Status	Project/Custodian	3D	Title
NA0027-NA0028	June 30, 2023	4	**	P755AIA-15039	Y	NUT, SELF-LOCKING, FLOATING, PLATE, TWO-LUG, LOW HEIGHT, COUNTERBORED, 1100 MPA, 235 °C, 425 °C, METRIC
NA0134	June 30, 2023	3	**	P2224AIA	N	RETAINER, FLOATING BARREL NUT, METRIC
NA0156	June 30, 2023	2	**	P755AIA-16314	N	MALE THREADED FASTENERS, METRIC DESIGN, PARAMETERS FOR
NAS554	June 30, 2023	4	S	P755AIA-23269S	N	ELBOW, UNIVERSAL, 45°
NAS1197	June 30, 2023	5	R,S	P755AIA-23270S	Y	WASHER, 5052 ALUMINUM ALLOY
NAS1211	June 30, 2023	5	R,S	P755AIA-23271S	Y	FITTING, TIE DOWN STRAP END
NAS1677	June 30, 2023	8	R,S	P755AIA-23272S	Y	STRAP, RETAINING, CUSHIONED, RECTANGULAR, TWO PIECE
NAS1736	June 30, 2023	4	**	P755AIA-22220	N	NUT, SELF-LOCKING, BLIND RIVET, ELLIPTICAL HEAD, INSTALLATION DATA FOR
NAS3434	June 30, 2023	4	**,R,S	E194	N	PRECISION MACHINED ITEMS, PACKAGING OF
NAS3435	June 30, 2023	4	**,R,S	E195	N	BOX, WITH MULTIPLE INDIVIDUAL TRANSPARENT BAGS
NAS3436	June 30, 2023	4	**,R,S	E196	N	BOX, WITH TRANSPARENT BAG, CYLINDRICAL CORE
NAS3437	June 30, 2023	4	**,R	E197	N	WRAP, SINGLE FACE CORRUGATED PAPER
NAS3438	June 30, 2023	3	**,R,S	E198	N	VIAL, PLASTIC
NAS3439	June 30, 2023	3	**,R	E199	N	BOX, MULTIPLE QUANTITIES, TIGHTLY PACKED
NAS3440	June 30, 2023	3	**,R,S	E200	N	PACKAGE, MULTIPLE CAVITY
NAS4452	June 30, 2023	4	R,S	P755AIA-23273S	Y	PIN, CRIMP, 100° FLUSH SHEAR HEAD
NAS9926	June 30, 2023	NEW	R	P755AIA-23154	N	NUT, SELF-LOCKING, 12 POINT, A286 CRES, LOW HEIGHT, 160 KSI FTU, 450 °F

NASM3213	June 30, 2023	2	R	P755AIA-23139	Y	SCREW, MACHINE, PAN HEAD, CROSS-RECESSED, SELF-SEALING, INTEGRAL FLUOROSILICONE O-RING, PLAIN AND SELF-LOCKING
NASM16555	June 30, 2023	4	**	P755AIA-23157	Y	PIN, STRAIGHT, HEADLESS, DOWEL, .0002 OVER NOMINAL SIZE
NASM17828	June 30, 2023	2	**	P2082BF	Y	NUT, SELF-LOCKING, HEXAGON REGULAR-HEIGHT, (NON-METALLIC INSERT) 250 °F OR 450 °F, NICKEL-COPPER ALLOY
NASM20066	June 30, 2023	3	R,S	P755AIA-23274S	Y	KEY, MACHINE, SQUARE IN CROSS SECTION, BOTH ENDS SQUARE
NASM20067	June 30, 2023	3	**	P755AIA-23125	N	KEY, MACHINE, SQUARE IN CROSS SECTION, ONE END SQUARE, OTHER END ROUND
NASM20605	June 30, 2023	4	**	P755AIA-23289	Y	RIVET, BLIND, NONSTRUCTURAL, 100° FLUSH HEAD
NASM21044	June 30, 2023	3	**	P2081BF	Y	NUT, SELF-LOCKING, HEXAGON, REGULAR HEIGHT, 250 °F, 125 KSI FTU AND 60 KSI FTU
NASM21287	June 30, 2023	1	S	P755AIA-23275S	Y	SCREW, MACHINE, STEEL, DRILLED DOUBLE HEXAGON, EXTENDED WASHER, .1640-36, (AS8879 THREAD)
NASM24628	June 30, 2023	1	S	P755AIA-23276S	Y	SCREW, TAPPING, THREAD CUTTING, TYPES D, F, G OR T, FLAT 82° COUNTERSUNK HEAD, CRUCIFORM-RECESSED, CRES
NASM35812	June 30, 2023	3	**	P2200AIA	Y	CLEVIS, ROD END, ADJUSTABLE AND PLAIN, STEEL
NASM45938/4	June 30, 2023	3	R,S	P755AIA-23277S	Y	NUT, PLAIN, SELF-CLINCHING, FLUSH
NASM51023	June 30, 2023	2	R	P755AIA-19329	Y	SETSCREW, HEXAGON SOCKET, CUP POINT, CORROSION RESISTANT STEEL, PASSIVATED, UNF-3A, PLAIN AND SELF-LOCKING
NASM51575	June 30, 2023	2	R	P755AIA-23142	Y	SCREW, SHOULDER, SLOTTED-HEAD, CRES
NASM51576	June 30, 2023	2	R	P755AIA-23170	Y	SCREW, SHOULDER, SOCKET-HEAD, HEXAGON, CORROSION-RESISTANT STEEL
NASM51896	June 30, 2023	2	S	P755AIA-23278S	Y	SCREW, EXTERNALLY RELIEVED BODY, PAN HEAD, CRUCIFORM RECESS, CRES, UNC-2A



Status Legend:

**	New Revision	*	Inactive for New Design
+	New Standard	X	Cancelled
R	Reaffirmed	RA	Reactivated
S	Stabilized	A	Amendment

Enclosures

cc: NASC A1, A2, A3 (without enclosures)