



AIA STANDARDS MEMORANDUM

July 31, 2024

TO: National Aerospace Standards Committee (A6)

FROM: Nathan Phillips, Director, Standards

SUBJ: NAS/NASM Mailing 24-07

NAS No.	Date	Rev	Status	Project/Custodian	3D	Title
NA0083	July 31, 2024	4	R	P755AIA-24205	N	NUT, SELF-LOCKING, PLATE, FIXED, SIDE BY SIDE, STEEL, REDUCED RIVET SPACING, LOW HEIGHT, CBORE, 1100 MPa, METRIC, 235 °C
NA0090	July 31, 2024	4	**	P755AIA-23421	Y	SCREW, PAN HEAD, OFFSET CRUCIFORM RECESS, FULL THREAD, TITANIUM ALLOY, 1100 MPa, METRIC
NAM14290	July 31, 2024	2	R	P755AIA-24155	N	CLAMP, LOOP, CUSHIONED, RECTANGULAR, METRIC
NAS463	July 31, 2024	13	**	P2383AIA	Y	NUT SPACER, PLATE, PLAIN
NAS1028	July 31, 2024	6	R,S	P755AIA-23322S	Y	NUT, SELF-LOCKING, PLATE, CORNER, REGULAR HEIGHT, CSK
NAS1049	July 31, 2024	4	R,S	P755AIA-22112S	N	SLING LINK, WELDED, ALLOY STEEL, PEAR SHAPED, FOR GROUND SUPPORT EQUIPMENT
NAS1052	July 31, 2024	4	**	P2212BAE	N	S HOOK, ALLOY STEEL, FOR GROUND SUPPORT EQUIPMENT
NAS1424-1432	July 31, 2024	7	**	P2316AIA	Y	PIN, SWAGE LOCKING, STEEL, PROTRUDING HEAD, SHEAR, STUMP-TYPE
NAS1475-1482	July 31, 2024	5	**	P2319AIA	Y	PIN, SWAGE LOCKING, STEEL, STANDARD AND OVERSIZE, 100° HEAD (NASM20426), TENSION, PULL-TYPE
NAS1512-1513	July 31, 2024	5	R	P755AIA-24201	Y	NUT ASSEMBLY, SELF-LOCKING, GANG CHANNEL, LOW HEIGHT, CBORE, MINIATURE
NAS5320	July 31, 2024	2	**	P2335AIA	Y	SCREW, SHEAR, 100 DEG FLUSH REDUCED HEAD, CLOSE TOLERANCE, NAS1800 SIX LOBE RECESS, 95 KSI FSU
NASM1312-11	July 31, 2024	3	**	P755AIA-24137	N	FASTENER TEST METHODS METHOD 11 TENSION FATIGUE

NASM16218	July 31, 2024	3	**	P755AIA-23265	Y	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, SLOTTED, COPPER-SILICON ALLOY, UNC-2A, NONMAGNETIC
NASM20601	July 31, 2024	3	**	P755AIA-23165	Y	RIVET, BLIND, STRUCTURAL, PULL STEM, SELF-PLUGGING, 100° FLUSH HEAD, TYPE II
NASM21090	July 31, 2024	3	**	P2243AIA	Y	SCREW, SELF-LOCKING, 250 °F, STEEL, 55 KSI Ft _u , PAN HEAD, CRUCIFORM RECESSED
NASM24066/2	July 31, 2024	3	**	P2343AIA	Y	CLIP, SOLID, SPRING TENSION
NASM35191	July 31, 2024	3	**	P2295AIA	Y	SCREW, MACHINE, 82° FLAT COUNTERSUNK HEAD, CROSS-RECESSED, CARBON STEEL, PLATED, UNF-2A
NASM35198	July 31, 2024	3	**	P755AIA-24207	Y	SCREW, MACHINE, FLAT COUNTERSUNK HEAD, 82° CROSS-RECESSED, BRASS, UNC-2A
NASM43770/10	July 31, 2024	3	**	P755AIA-24152	N	SNAP HOOKS, CAST BODY, FIXED LOOP EYE W/O ROLLER, FLAT SPRING CLOSURE, WIDE MOUTH
NASM51975	July 31, 2024	6	**	P2371AIA	N	SCREW, SHOULDER, SOCKET HEAD, HEXAGON ALLOY STEEL OR NONFERROUS ALLOYS, UNC-3A

Status Legend:

**	New Revision	*	Inactive for New Design
+	New Standard	X	Cancelled
R	Reaffirmed	RA	Reactivated
S	Stabilized	A	Amendment

Enclosures

cc: NASC A1, A2, A3 (without enclosures)