



AIA STANDARDS MEMORANDUM

October 31, 2024

TO: National Aerospace Standards Committee

FROM: Drake McGregor, Senior Manager, Standards

SUBJ: NAS/NASM Mailing 24-11

NAS No.	Date	Rev	Status	Project/Custodian	3D	Title
NA0019-NA0024	October 31, 2024	2	**	P755AIA-23343	N	RIVET, SOLID, COUNTERSUNK, 100° SHEAR HEAD, ALUMINUM AND ALUMINUM ALLOY, METRIC
NA0039	October 31, 2024	6	**	P755AIA-17138	Y	SCREW, CLOSE TOLERANCE, 100° FLUSH HEAD, OFFSET CRUCIFORM RECESS, TITANIUM ALLOY, 660 MPa, SHEAR, METRIC
NA0058	October 31, 2024	4	**	P755AIA-16322	Y	BOLT, CLOSE TOLERANCE, SPLINE DRIVE, ALLOY STEEL, 1250 MPa, METRIC
NA0152	October 31, 2024	4	**	P2323AIA	Y	BOLT, EYE, ALLOY STEEL, 1100 MPa, METRIC
NAS72	October 31, 2024	8	**	P755AIA-22334	Y	BUSHING, CLAMP-UP, STEEL, CHROME PLATED
NAS411-2	October 31, 2024	NEW	+	CAEC004	N	GUIDANCE FOR ASSESSING HAZARDOUS MATERIALS RISKS USING MIL-STD-882 PROCESS
NAS1333-NAS1346	October 31, 2024	8	**	P2139BF	N	PIN, QUICK RELEASE, POSITIVE LOCKING, SINGLE ACTING
NAS5271	October 31, 2024	2	**	P755AIA-17214	Y	FASTENER, BLIND, INTERNALLY THREADED, EXTERNAL SLEEVE, TITANIUM, PROTRUDING HEAD, SELF-LOCKING, .016 OVERSIZE
NASM16187	October 31, 2024	2	R	P755AIA-24159	Y	STUD, CONTINUOUS THREAD, BOLT-STUD, B16 ALLOY STEEL, HIGH TEMPERATURE SERVICE 875-1,000 °F
NASM35650	October 31, 2024	3	**	P755AIA-24131	Y	NUT, PLAIN, HEXAGON, UNF-2B
NASM85353/2	October 31, 2024	2	**	P755AIA-17156	Y	NUT, PRELOAD LOCKING, EXTENDED WASHER, HEXAGON, REDUCED HEIGHT, CRES, 450 °F AND 1,200 °F

Status Legend:

**	New Revision	*	Inactive for New Design
+	New Standard	X	Cancelled
R	Reaffirmed	RA	Reactivated
S	Stabilized	A	Amendment